

Table of Contents

1. VERIFICATION	3
1.1. SIMULATING ERRORS	3
1.2. VERIFICATION INITIALIZATION.....	3
1.3. SENDING THE DATA WITH DESIRED RESULT INDICATION. ONLY IN THIS STEP IT IS POSSIBLE TO INDICATE THE FINAL VERIFICATION RESULT (POSITIVE, REJECTED, NEGATIVE)	4
1.4. FINALIZING DATA UPLOAD	6
2. REVERIFICATION	7
2.1. VERIFICATION INITIALIZATION.....	7
2.2. SENDING SELLER DATA	7
2.3. SENDING ASSOCIATE DATA	8
2.4. COMPLETING TEST VERIFICATION.....	8
2.4.1. VERIFICATION NOTIFICATION	9
2.4.2. REVERIFICATION NOTIFICATION	9
2.5. GET TEST STATUS	10
2.6. SEND ADDITIONAL DATA	11
2.7. REVERIFICATION COMPLETE	11
3. ID REPLACEMENT	12
3.1. INITIALIZE VERIFICATION	12
3.2. SEND SELLER DATA	12
3.3. SEND ASSOCIATE DATA.....	13
3.4. ACCEPT REGULATIONS.....	13
3.5. COMPLETE TEST VERIFICATION.....	13
3.5.1. VERIFICATION NOTIFICATION	14
3.5.2. IDREVERIFICATION NOTIFICATION	14
3.6. GET TEST STATUS	15
3.7. SEND ADDITIONAL DATA	16
3.8. COMPLETE IDREVERIFICATION.....	16
4. THE CASE OF ERRORCODE 008 – MISSING PERSON.....	16
4.1. INITIALIZE VERIFICATION	16
4.2. SEND SELLER DATA	17
4.3. ACCEPTING REGULATIONS	17
4.4. COMPLETING VERIFICATION	17
5. OCCASIONAL SALE FLOW – LIMITS EXCEEDED	19
5.1. INITIALIZE VERIFICATION	19
5.2. SEND SELLER DATA	19
5.3. COMPLETE VERIFICATION	19
6. OFFBOARDING – MARKETPLACE REQUEST	20
6.1. VERIFICATION INITIALIZATION.....	20
6.2. SENDING SELLER DATA	20
6.3. COMPLETE VERIFICATION	21
6.4. OFFBOARDING INITIALIZATION	21
6.5. RETRIEVE TEST STATUS.....	22
7. OFFBOARDING – ID REPLACEMENT	23
7.1. VERIFICATION INITIALIZATION.....	23

7.2.	SENDING SELLER DATA	23
7.3.	SENDING ASSOCIATE DATA	24
7.4.	COMPLETE VERIFICATION	24
7.5.	RETRIEVE VERIFICATION STATUS	25
7.6.	COMPLETE OFFBOARDING.....	26
8.	OFFBOARDING POSITIVE – ID REPLACEMENT	26
8.1.	VERIFICATION INITIALIZATION.....	27
8.2.	SENDING SELLER DATA	27
8.3.	SENDING ASSOCIATE DATA	28
8.4.	COMPLETE VERIFICATION	28
8.5.	RETRIEVE VERIFICATION STATUS	28
8.6.	CONFIRMING CONTRACT TERMINATION DELIVERY	29
9.	OFFBOARDING – REVERIFICATION	29
9.1.	VERIFICATION INITIALIZATION.....	30
9.2.	SENDING SELLER DATA	30
9.3.	SENDING ASSOCIATE DATA	31
9.4.	COMPLETE VERIFICATION	31
9.5.	RETRIEVE VERIFICATION STATUS	32
9.6.	CONFIRMING CONTRACT TERMINATION DELIVERY	32
9.7.	COMPLETE OFFBOARDING.....	33
10.	OFFBOARDING POSITIVE – REVERIFICATION	33
10.1.	VERIFICATION INITIALIZATION.....	34
10.2.	SENDING SELLER DATA	34
10.3.	SENDING ASSOCIATE DATA	35
10.4.	COMPLETE VERIFICATION	35
10.5.	RETRIEVE VERIFICATION STATUS	36
10.6.	CONFIRMING CONTRACT TERMINATION DELIVERY	36
11.	OFFBOARDING POSITIVE – FRAUD	37
11.1.	VERIFICATION INITIALIZATION.....	37
11.2.	SENDING SELLER DATA	37
11.3.	COMPLETE VERIFICATION	38
11.4.	RETRIEVE VERIFICATION STATUS	39
11.5.	CONFIRMING CONTRACT TERMINATION DELIVERY	39
12.	OFFBOARDING (POSITIVE) – INACTIVE SELLER.....	40
12.1.	VERIFICATION INITIALIZATION.....	40
12.2.	SENDING SELLER DATA	40
12.3.	COMPLETE VERIFICATION	41
12.4	RETRIEVE VERIFICATION STATUS	41
12.5	CONFIRM CONTRACT TERMINATION DELIVERY	42

Automatic testing - Marketplace AML API

1. Verification

Testing automation of the AML API allows to test the process without PayU involvement. The process consists in sending a proper values in the request body, depending on the desired verification result: POSITIVE, REJECTED, NEGATIVE and error codes in case of rejected and negative statuses.

1.1. Simulating errors

If you want to simulate some of the edge cases, you need to set specific error codes as the value of the **gusCode** field at the correct stage of the verification process:

Used errorCode	How to simulate	Verification Step	Result
008	Send 008 in gusCode field with seller data + don't send CRP for this verification.	dataloading/seller	Error: 008 – Missing Person
015	Send 015 in gusCode field with the seller data.	dataloading/seller	Returned UBO_STATEMENT
015	Send 015 in gusCode field with the associates data.	dataloading/associates	Returned PEP_STATEMENT

Automatic testing steps are presented below.

1.2. Verification initialization

```
POST: {{baseUrl}}/verification
{
  "sellerId": "{{SellerID}}",
  "type": "{{VerificationType}}"
}
```

1.3. Sending the data with desired result indication. Only in this step it is possible to indicate the final verification result (POSITIVE, REJECTED, NEGATIVE)

Data type	Endpoint + Required fields	Body
Seller data	<p>POST : {{baseUrl}}/dataloading/seller</p> <p>Required fields : verificationId, sellerId, address, email, gusCode - Error Codes, registryNumber - Verification Status</p>	<pre>{ "verificationId": "{{VERIFICATION_ID}}", "sellerId": "{{SELLER_ID}}", "companyName": "Tatar Company7", "taxId": "8618132531", "legalForm": "SOLE_TRADER", "address": { "street": "North of Sunzhuang Village, Changziying Town, Daxing District, Beijing", "zipcode": "100000", "city": "Beijing", "country": "CN" }, "email": "guiji19504@163.com", "phone": "+86 151 6026 2966", "gusCode": "{{ERROR_CODES}}", "registryNumber": "{{VERIFICATION_STATUS}}" }</pre> <p>EXAMPLE:</p> <pre>{ "verificationId": "5004L00000B27MPQAZ", "sellerId": "12345678", "companyName": "Tatar Company7", "taxId": "8618132531", "legalForm": "SOLE_TRADER", "address": { "street": "ul. Polna", "zipcode": "100000", "city": "Poznań", "country": "PL" }, "email": "test@test.com", "phone": "+86 151 6026 2966", "gusCode": "015;016", "registryNumber": "REJECTED" }</pre>
Associates	<p>POST : {{baseUrl}}/dataloading/associates</p> <p>Required fields : verificationId, associateId, associateType, associateSurname, associateName -</p>	<pre>{ "verificationId": "{{VERIFICATION_ID}}", "associateId": "TestRepresentative1", "associateType": "REPRESENTATIVE", "associateName": "{{ERROR_CODES}}", "associateSurname": "Kowalski", "associateCitizenship": "Lodz", "associateIdentityNumber": "34234324324", "associateBirthDate": "2019-11-21" }</pre>

	<p>Error Codes</p>	<p>EXAMPLE:</p> <pre>{ "verificationId": "5004L00000B27MPQAZ", "associateId": "TestRepresentative1", "associateType": "REPRESENTATIVE", "associateName": "030", "associateSurname": "Kowalski", "associateCitizenship": "Lodz", "associateIdentityNumber": "34234324324", "associateBirthDate": "2019-11-21" }</pre>
<p>Payout Account Data</p>	<p>POST : {{baseUrl}}/dataloading/payouts/bankAccountData</p> <p>Required fields: verificationId, bankDataId, bankName - Error Codes</p> <p>For Payoneer also : payoneerId</p> <p>For Non-Payoneer : accountNumberRequested, verified</p>	<pre>{ "verificationId": "{{VERIFICATION_ID}}", "bankDataId" : "marketplaceBankDataId", "payoneerId" : "payoneerID", "accountNumberRequested": "", "hasDocument" : "false", "swiftCode" : "swiftCode", "payoutDataVerificationType" : "BANK_TRANSFER", "bankName" : "{{ERROR_CODES}}", "bankCountry" : "bankCountry", "statementData" : { "accountNumberFromBank": "", "ownerName" : "ownerName", "address" : { "street" : "street", "zipcode" : "zipcode", "city" : "city", "country" : "PL" }, }, "foreign" : "false", "verified": "false", "verificationTransferId" : "{{VERIFICATION_TRANSFER_ID}}" }</pre> <p>Example:</p> <pre>{ "verificationId": "5004L00000B27MPQAZ", "bankDataId" : "marketplaceBankDataId", "accountNumberRequested": "PL66804610704885900358899402" "hasDocument" : "false", "swiftCode" : "swiftCode", "payoutDataVerificationType" : "BANK_TRANSFER", "bankName" : "011;012", "bankCountry" : "PL", "statementData" : { "accountNumberFromBank": "", "ownerName" : "ownerName", "address" : { "street" : "street", "zipcode" : "zipcode", "city" : "city", "country" : "PL" }, }, }</pre>

		<pre> }, "foreign" : "false", "verified": "false", "verificationTransferId" : "2233445566" } </pre>
Documents	<p>POST : {{baseUrl}}/dataloading/seller/documents</p> <p>Required fields : verificationId, documentId, type, files, documentNumber - Error Codes</p>	<pre> { "verificationId": "{{VERIFICATION_ID}}", "documentId": "TestDocumentId2", "type": "ID_CARD", "documentNumber" : "{{ERROR_CODES}}", "note": "Test note", "files": ["0683G000000AqqQQAS"], "translationFiles": [] } </pre> <p>Example:</p> <pre> { "verificationId": "5004L00000B27MPQAZ", "documentId": "TestDocumentId2", "type": "ID_CARD", "documentNumber" : "002;003", "note": "Test note", "files": ["0683G000000AqqQQAS"], "translationFiles": [] } </pre>

Sending multiple error codes in one request is possible by adding them after ; e.g. 010;011

1.4. Finalizing data upload

POST: {{baseUrl}}/verification/complete

```

{
  "verificationId": "{{VERIFICATION_ID}}"
}

```

After sending this request, a proper notification will be send on the notification url provided by marketplace.

2. Reverification

Presented below is the mocked process of reverification, which allows to test if you can receive notification about opened reverification process for given merchant. API test mode will allow you to send **sellerData** and associates with expected **errorCodes**.

As a result:

- Initialized verification will be closed as **POSITIVE**
- Reverification will be created and automatically send to marketplace.

2.1. Verification Initialization

To initialize reverification testing process you should call the : `{{baseUrl}}/verification` endpoint with the **POST** method and request body of:

```
{
  "sellerId": "{{SELLER_ID}}",
  "type": "FULL"
}
```

2.2. Sending Seller Data

Next, you need to send the seller's data to `{{baseUrl}}/dataloading/seller` endpoint with **POST** method and request with the following body:

```
{
  "verificationId": "{{VERIFICATION_ID}}",
  "sellerId": "{{SELLER_ID}}",
  "companyName": "Seller Company Name",
  "taxId": "sellerTestTaxId",
  "legalForm": "SOLE_TRADER",
  "gusCode": "022;020",
  "registryNumber": "ID_REPLACEMENT",
  "address": {
    "street": "ul. Grunwaldzka 186",
    "zipcode": "60-166",
    "city": "Poznań",
    "country": "PL"
  },
  "email": "test@payu.com",
  "phone": "+48123456789",
  "dateOfBirth": "1990-12-20"
}
```

Notes:

- **registryNumber** has to be populated with value "REVERIFICATION",
- **gusCode** should be populated with error codes expected to be sent with reverification, codes should be separated with ";".

2.3. Sending Associate Data

Now, you need to send the associate data to <https://{{baseUrl}}/dataloading/associates> endpoint with the **POST** method and the request with the following body:

```
{
  "verificationId": "{{VERIFICATION_ID}}",
  "associateId": "TestRepresentative2",
  "associateType": "REPRESENTATIVE",
  "associateName": "030;031",
  "associateSurname": "Kowalski",
  "associateCitizenship": "PL",
  "associateIdentityNumber": "34234324324",
  "associateBirthDate": "1990-11-21"
}
```

Notes:

- **associateName** should be populated with error codes expected to be sent with reverification. Codes should be separated with ";".

2.4. Completing Test Verification

To complete this step, you need to call the <https://{{baseUrl}}/dataloading/associates> endpoint with the **POST** method and the request with the following body:

```
{
  "verificationId": "{{VERIFICATION_ID}}"
}
```

Notes:

- After complete operation verification **{{VERIFICATION_ID}}** will be closed as **POSITIVE** and reverification with **{{REVERIFICATION_ID}}** will be created. Corresponding notification will be sent to marketplace.
- Seller **errorCodes** will be sent as provided in the Sending Seller Data step.

- Associates will be copied from **{{VERIFICATION_ID}}** and provided **errorCodes** sent with **{{REVERIFICATION_ID}}**.

2.4.1. Verification Notification

Notification about closed **{{VERIFICATION_ID}}**.

```
{
  "verificationType": "FULL",
  "verificationId": "{{VERIFICATION_ID}}",
  "updateDate": "2023-05-11T13:19:06.000Z",
  "status": "POSITIVE",
  "sellerId": "{{SELLER_ID}}",
  "processType": "REGULAR",
  "note": null,
  "createDate": "2023-05-11T13:12:22.000Z"
}
```

2.4.2. Reverification notification

Notification about newly created Reverification with **{{REVERIFICATION_ID}}**.

```
{
  "verificationType": "REVERIFICATION",
  "verificationId": "{{REVERIFICATION_ID}}",
  "updateDate": "2023-05-11T13:33:29.000Z",
  "status": "WAITING_FOR_DATA",
  "sellerId": "{{SELLER_ID}}",
  "processType": "REGULAR",
  "payoutBlockadeDate": "2023-06-10",
  "note": "Test in Progress | Awaiting for complete",
  "errors": [
    {
      "content": {
        "itemType": "SELLER",
        "itemProperties": {
        }
      },
      "code": "022"
    },
    {
      "content": {
        "itemType": "SELLER",
        "itemProperties": {
        }
      }
    }
  ]
}
```

```

    },
    "code": "020"
  },
  {
    "content": {
      "itemType": "ASSOCIATE",
      "itemProperties": {
        "associateSurname": "Kowalski",
        "associateName": "030;031",
        "associateId": "a2L3G000000eDZ0UAM"
      }
    },
    "code": "030"
  },
  {
    "content": {
      "itemType": "ASSOCIATE",
      "itemProperties": {
        "associateSurname": "Kowalski",
        "associateName": "030;031",
        "associateId": "a2L3G000000eDZ0UAM"
      }
    },
    "code": "031"
  }
],
"duplicateSellers": [
  {
    "sellerId": "{{SECOND_SELLER_ID_WITH_THE_SAME_TAX_ID}}"
  }
],
"createDate": "2023-05-11T13:18:58.000Z"
}

```

2.5. Get Test Status

You can retrieve test status for given **{{VERIFICATION_ID}}** by sending a GET request to the `{{baseUrl}}/verification?id={{VERIFICATION_ID}}`

```

{
  "verificationType": "FULL",
  "verificationTransferStatus": null,
  "verificationId": "{{VERIFICATION_ID}}",
  "updateDate": "2023-05-11T13:19:24.000Z",
  "status": "POSITIVE",
  "sellerId": "allegro100520232",
  "processType": "REGULAR",
  "payoutBlockadeDate": null,

```

```
"note": " Test in Progress | ID Replacement notification with verificationId:
{{IDREVERIFICATION_ID}} has been sent successfully | Awaiting for complete",
"errors": null,
"duplicateSellers": null,
"createDate": "2023-05-11T13:12:22.000Z"
}
```

note parameter can contain following information:

- **Test in Progress | Reverification notification with verificationId: {{REVERIFICATION_ID}} has been sent successfully | Awaiting for complete** – receiving this information means that everything is ok and there is need to send **COMPLETE** to end the test.
- **Test Success** - means that test ended successfully. Complete request has been sent to **{{REVERIFICATION_ID}}**.
- **Test in Progress | Reverification notification with verificationId: {{REVERIFICATION_ID}} has been sent, but error received : Code: 500 Body: REVERIFICATION NOTIFICATION API ERROR**

If the **note** parameter takes the value **Test in Progress**, then to you have to complete a test by sending the Complete Verification request as described in the section 1.4. Without it, it will be impossible to perform next test with the same **{{SELLER_ID}}**.

If the **note** parameter takes the value **Test in Progress** and you send another verification initialization request, then **verificationId : {{REVERIFICATION_ID}}** will be returned, meaning that you must first close the open verification.

2.6. Send additional data

Optionally you can send additional data required in reverification process, such as:

- sellerData
- associates
- seller/documents
- associates/documents

2.7. Reverification complete

To complete the reverification process you need call the **{{baseURL}}/verification/complete** endpoint with the **POST** method and the following body:

```
{
  "verificationId": "{{REVERIFICATION_ID}}"
}
```

After this step Reverification Case will be closed as POSITIVE, which end the testing process.

3. Id Replacement

The mocked process of ID Replacement verification (IDReverification) allows testing whether the marketplace can receive notifications about the initiation of an ID Replacement process for a given merchant. API Test mode allows to send sellerData and associates, but differently from reverification, no errorCodes are expected, as answer will have 015 error code by default.

As a result:

- Initialized verification will be closed as POSITIVE
- IDReverification will be created and automatically send to marketplace.

3.1. Initialize verification

Method: **POST**

Endpoint: `{{baseUrl}}/verification`

Body:

```
{
  "sellerId": "{{SELLER_ID}}",
  "type": "FULL"
}
```

3.2. Send Seller Data

Next you should add the sellers data with **registryNumber** set to **ID_REPLACEMENT**. Additionally gusCode parameter should be populated with error codes expected to be sent with IDReverification. Codes should be separated with “;”

Method: **POST**

Endpoint: `{{baseUrl}}/dataloading/seller`

Body:

```
{
  "verificationId": "{{VERIFICATION_ID}}",
  "sellerId": "{{SELLER_ID}}",
  "companyName": "Seller Company Name",
  "taxId": "sellerTestTaxId",
  "legalForm": "SOLE_TRADER",
  "registryNumber": "ID_REPLACEMENT",
  "address": {
    "street": "ul. Grunwaldzka 186",
    "zipcode": "60-166",
    "city": "Poznań",
    "country": "PL"
  }
}
```

```
    },  
    "email": "test@payu.com",  
    "phone": "+48123456789",  
    "dateOfBirth": "1990-12-20"  
  }  
}
```

3.3. Send Associate Data

Now, send the associate data:

Method: **POST**

Endpoint: `{{baseURL}}/dataloading/associates`

Body:

```
{  
  "verificationId": "{{VERIFICATION_ID}}",  
  "associateId": "TestRepresentative2",  
  "associateType": "REPRESENTATIVE",  
  "associateName": "Jan",  
  "associateSurname": "Kowalski",  
  "associateCitizenship": "PL",  
  "associateIdentityNumber": "34234324324",  
  "associateBirthDate": "1990-11-21"  
}
```

3.4. Accept Regulations

Method: **POST**

Endpoint: `{{baseURL}} verification/regulations-acceptance`

Body:

```
{  
  "verificationId": "{{VERIFICATION_ID}}",  
  "regulationsUrl": "http://static.payu.com/regulations/marketplace-psd2-  
regulation-v2.pdf",  
}
```

3.5. Complete Test Verification

Method: **POST**

Endpoint: `{{baseURL}}/verification/complete`

Body:

```
{
  "verificationId": "{{VERIFICATION_ID}}"
}
```

Notes:

- After complete operation verification **{{VERIFICATION_ID}}** will be closed as **POSITIVE** and IdReverification with **{{IDREVERIFICATION_ID}}** will be created. Corresponding notification will be sent to marketplace.
- Associates will be copied from **{{VERIFICATION_ID}}** and errorCode 015 sent with **{{IDREVERIFICATION_ID}}**.

3.5.1. Verification Notification

Notification about closed **{{VERIFICATION_ID}}**.

```
{
  "verificationType": "FULL",
  "verificationId": "{{VERIFICATION_ID}}",
  "updateDate": "2023-05-11T13:19:06.000Z",
  "status": "POSITIVE",
  "sellerId": "{{SELLER_ID}}",
  "processType": "REGULAR",
  "note": null,
  "createDate": "2023-05-11T13:12:22.000Z"
}
```

3.5.2. IdReverification notification

Notification about newly created IdReverification.

```
{
  "verificationType": "ID_REPLACEMENT",
  "verificationId": "{{IDREVERIFICATION_ID}}",
  "updateDate": "2023-05-11T13:33:29.000Z",
  "status": "WAITING_FOR_DATA",
  "sellerId": "{{SELLER_ID}}",
  "processType": "REGULAR",
  "payoutBlockadeDate": "2023-06-10",
  "note": "Test in Progress | Awaiting for complete",
  "errors": [
    {
      "content": {
        "itemType": "ASSOCIATE_DOCUMENT",
        "itemProperties": {
          "documentType": "ID_CARD",
          "associateSurname": "Kowalski",

```

```

        "associateName": "015",
        "associateId": "a2L3G000000eDZ0UAM"
    },
    "code": "015"
}
],
"createDate": "2023-05-11T13:18:58.000Z"
}

```

3.6. Get Test Status

You can retrieve test status for given **{{VERIFICATION_ID}}** by sending a GET request to the **{{baseURL}}/verification?id={{VERIFICATION_ID}}**

Method: **GET**

Endpoint: **{{baseURL}}/verification?id={{VERIFICATION_ID}}**

Body:

```

{
  "verificationType": "FULL",
  "verificationTransferStatus": null,
  "verificationId": "{{VERIFICATION_ID}}",
  "updateDate": "2023-05-11T13:19:24.000Z",
  "status": "POSITIVE",
  "sellerId": "allegro100520232",
  "processType": "REGULAR",
  "payoutBlockadeDate": null,
  "note": " Test in Progress | ID Replacement notification with verificationId:
{{IDREVERIFICATION_ID}} has been sent successfully | Awaiting for complete",
  "errors": null,
  "duplicateSellers": null,
  "createDate": "2023-05-11T13:12:22.000Z"
}

```

note parameter can contain following information:

- **Test in Progress | IdReverification notification with verificationId: {{IDREVERIFICATION_ID}} has been sent successfully | Awaiting for complete** – receiving this information means that everything is ok and there is need to send **COMPLETE** to end the test.
- **Test Success** - means that test ended successfully. Complete request has been sent to **{{IDREVERIFICATION_ID}}**.
- **Test in Progress | IdReverification notification with verificationId: {{IDREVERIFICATION_ID}} has been sent, but error received : Code: 500 Body: REVERIFICATION NOTIFICATION API ERROR**

If the **note** parameter takes the value **Test in Progress**, then to you have to complete a test by sending the Complete Verification request as described in the section 1.4. Without it, it will be impossible to perform next test with the same **{{SELLER_ID}}**.

If the **note** parameter takes the value **Test in Progress** and you send another verification initialization request, then **verificationId** : **{{IDREVERIFICATION_ID}}** will be returned, meaning that you must first close the open IdReverification.

3.7. Send Additional Data

This step is optional for API Test Mode.

Now marketplace can send additional data required in IdReverification process:

- associates
- associates/documents

3.8. Complete IdReverification

Method: **POST**

Endpoint: [{{baseURL}}/verification/complete](#)

Body:

```
{  
  "verificationId": "{{IDREVERIFICATION_ID}}"  
}
```

After this step Reverification Case will be closed as POSITIVE, which end the testing process.

4. The case of errorCode 008 – Missing Person

If you want to test the flow with the **008 - Missing Person** error, please proceed as follows:

4.1. Initialize verification

Method: **POST**

Endpoint: [{{baseURL}}/verification](#)

Body:

```
{
```

```
"sellerId": "{{SELLER_ID}}",
"type": "FULL"
}
```

4.2. Send Seller Data

Method: **POST**

Endpoint: `{{baseUrl}}/dataloading/seller`

Body:

```
{
  "verificationId": "{{VERIFICATION_ID}}",
  "sellerId": "{{SELLER_ID}}",
  "companyName": "Seller Company Name",
  "taxId": "sellerTestTaxId",
  "legalForm": "SOLE_TRADER",
  "gusCode": "008;020",
  "registryNumber": "REJECTED",
  "address": {
    "street": "ul. Grunwaldzka 186",
    "zipcode": "60-166",
    "city": "Poznań",
    "country": "PL"
  },
  "email": "test@payu.com",
  "phone": "+48123456789",
  "dateOfBirth": "1990-12-20"
}
```

Remember that **gusCode** parameter should contain **008**.

4.3. Accepting Regulations

Method: **POST**

Endpoint: `{{baseUrl}}/verification/regulations-acceptance`

Body:

```
{
  "verificationId": "{{VERIFICATION_ID}}",
  "regulationsUrl": "http://static.payu.com/regulations/marketplace-psd2-
regulation-v2.pdf"
}
```

4.4. Completing verification

Method: **POST**

Endpoint: `{{baseUrl}}/verification/complete`

Body:

```
{
  "verificationId": "{{VERIFICATION_ID}}"
}
```

As a result you will receive the notification:

```
{
  "verificationType": "FULL",
  "verificationId": "5008E00000NFC3RQAX",
  "updateDate": "2023-06-27T12:03:12.000Z",
  "status": "REJECTED",
  "sellerId": "{{SELLER_ID}}",
  "processType": "REGULAR",
  "note": "Test Success | Current Status: REJECTED | Expected Status: REJECTED",
  "errors": [
    {
      "content": {
        "itemType": "SELLER",
        "itemProperties": {}
      },
      "code": "008"
    },
    {
      "content": {
        "itemType": "SELLER",
        "itemProperties": {}
      },
      "code": "020"
    },
    {
      "content": {
        "itemType": "ASSOCIATE",
        "itemProperties": {
          "associateSurname": "testLastName",
          "associateName": "008",
          "associateId": "a2L8E000001TJcZUAW"
        }
      },
      "code": "008"
    }
  ],
  "createDate": "2023-06-27T12:02:40.000Z"
}
```

5. Occasional Sale Flow – Limits Exceeded

To simulate a situation where the seller exceeds PayU limits, follow these steps:

5.1. Initialize verification

Method: **POST**

Endpoint: : `{{baseUrl}}/verification`

Body:

```
{
  "sellerId": "{{SELLER_ID}}",
  "type": "FULL"
}
```

5.2. Send Seller Data

Next, you need to send the seller's data with `registryNumber` parameter set to **LIMITS_EXCEEDED**:

Method: **POST**

Endpoint: `{{baseUrl}}/dataloading/seller`

Body:

```
{
  "verificationId": "{{VERIFICATION_ID}}",
  "sellerId": "{{SELLER_ID}}",
  "companyName": "Seller Company Name",
  "taxId": "sellerTestTaxId",
  "legalForm": "SOLE_TRADER",
  "gusCode": "008;020",
  "registryNumber": "LIMITS_EXCEEDED",
  "address": {
    "street": "ul. Grunwaldzka 186",
    "zipcode": "60-166",
    "city": "Poznań",
    "country": "PL"
  },
  "email": "test@payu.com",
  "phone": "+48123456789",
  "dateOfBirth": "1990-12-20"
}
```

5.3. Complete Verification

Method: **POST**

Endpoint: `{{baseUrl}}/verification/complete`

Body:

```
{  
  "verificationId": "{{VERIFICATION_ID}}"  
}
```

6. Offboarding – Marketplace Request

The mocked process of offboarding, which allow to test if marketplace is able to initiate new offboarding.

Before you can test initiating offboarding as a Marketplace create seller with **POSITIVE FULL** verification.

In this case the Initialized verification will be closed as **POSITIVE**.

6.1. Verification Initialization

Method: **POST**

Endpoint: `{{baseUrl}}/verification`

Body:

```
{  
  "sellerId": "{{SELLER_ID}}"  
  "type": "FULL"  
}
```

6.2. Sending Seller Data

Next, you need to send the seller's data with `registryNumber` parameter set to **POSITIVE**:

Method: **POST**

Endpoint: `{{baseUrl}}/dataloading/seller`

Body:

```
{  
  "verificationId": "{{VERIFICATION_ID}}",  
  "sellerId": "{{SELLER_ID}}",  
  "companyName": "Seller Company Name",  
  "taxId": "sellerTestTaxId",  
}
```

```
"legalForm": "SOLE_TRADER",
"gusCode": "",
"registryNumber": "POSITIVE ",
"address": {
  "street": "ul. Grunwaldzka 186",
  "zipcode": "60-166",
  "city": "Poznań",
  "country": "PL"
},
"email": "test@payu.com",
"phone": "+48123456789",
"dateOfBirth": "1990-12-20"
}
```

6.3. Complete Verification

Method: **POST**

Endpoint: `{{baseURL}}/verification/complete`

Body:

```
{
  "verificationId": "{{VERIFICATION_ID}}"
}
```

After completing the verification you will get a notification in format presented below:

```
{
  "verificationType": "FULL",
  "verificationId": "{{VERIFICATION_ID}}",
  "updateDate": "2025-06-10T12:03:12.000Z",
  "status": "POSITIVE",
  "sellerId": "{{SELLER_ID}}",
  "processType": "REGULAR",
  "note": "Test Success | Current Status: POSITIVE | Expected Status: POSITIVE",
  "createDate": "2025-06-10T12:02:40.000Z"
}
```

6.4. Offboarding Initialization

Then you can initialize offboarding which will be completed with the **POSITIVE** status.

Method: **POST**

Endpoint: `{{baseURL}}/verification`

Body:

```
{
  "verificationId": "{{SELLER_ID}}",
  "type": "OFFBOARDING"
}
```

Notification after initializing offboarding:

```
{
  "verificationType": "OFFBOARDING",
  "verificationId": "{{OFFBOARDING_ID}}",
  "updateDate": "2025-06-10T12:03:12.000Z",
  "status": "POSITIVE",
  "sellerId": "{{SELLER_ID}}",
  "processType": "REGULAR",
  "offboarding": {
    "reason": "Seller/Merchant/Marketplace request",
    "payoutCompleted": true,
    "offboardingStatus": "POSITIVE",
    "contractTerminationDate": "2025-02-07"
  },
  "note": "Test Success | Current Status: POSITIVE | Expected Status: POSITIVE",
  "createDate": "2025-06-10T12:02:40.000Z"
}
```

6.5. Retrieve Test Status

You can retrieve status of the test process based on the `{{OFFBOARDING_ID}}`.

Method: **POST**

Endpoint: `{{baseUrl}}/verification?id={{OFFBOARDING_ID}}`

Body:

```
{
  "verificationType": "OFFBOARDING",
  "verificationId": "{{OFFBOARDING_ID}}",
  "updateDate": "2025-06-10T12:03:12.000Z",
  "status": "POSITIVE",
  "sellerId": "{{SELLER_ID}}",
  "processType": "REGULAR",
  "offboarding": {
    "reason": "Seller/Merchant/Marketplace request",
    "payoutCompleted": true,
    "offboardingStatus": "POSITIVE",
    "contractTerminationDate": "2025-02-07"
  },
  "note": "Test Success | Current Status: POSITIVE | Expected Status: POSITIVE",
}
```

```
"createDate": "2025-06-10T12:02:40.000Z"
}
```

7. Offboarding – ID Replacement

You can also test the offboarding process triggered by ID replacement (when documents have not been delivered within the required time limit). This allows you to verify whether the marketplace can receive a notification about the initiated offboarding process for a given merchant.

In API Test mode, you can send `sellerData` and associates. However, unlike in reverification, no specific `errorCodes` are expected—by default, the response will return error code **015**.

As a result:

- Initialized verification will be closed as **POSITIVE**
- ID Replacement will be created and closed as **NEGATIVE**
- Offboarding will be created and notification will be sent to marketplace.
- Offboarding will be closed as **NEGATIVE**

7.1. Verification Initialization

Method: **POST**

Endpoint: `{{baseUrl}}/verification`

Body:

```
{
  "sellerId": "{{SELLER_ID}}"
  "type": "FULL"
}
```

7.2. Sending Seller Data

Next, you need to send the seller's data with `registryNumber` parameter set to **OFFBOARDING_ID_REPLACEMENT**:

Method: **POST**

Endpoint: `{{baseUrl}}/dataloading/seller`

Body:

```
{
  "verificationId": "{{VERIFICATION_ID}}",
  "sellerId": "{{SELLER_ID}}",
  "companyName": "Seller Company Name",
  "taxId": "sellerTestTaxId",
}
```

```
"legalForm": "SOLE_TRADER",
"registryNumber": "OFFBOARDING_ID_REPLACEMENT",
"address": {
  "street": "ul. Grunwaldzka 186",
  "zipcode": "60-166",
  "city": "Poznań",
  "country": "PL"
},
"email": "test@payu.com",
"phone": "+48123456789",
"dateOfBirth": "1990-12-20"
}
```

7.3. Sending Associate Data

Endpoint: `{{baseURL}}/dataloading/associates`

Body:

```
{
  "verificationId": "{{VERIFICATION_ID}}",
  "associateId": "TestRepresentative2",
  "associateType": "REPRESENTATIVE",
  "associateName": "Janek",
  "associateSurname": "Kowalski",
  "associateCitizenship": "PL",
  "associateIdentityNumber": "34234324324",
  "associateBirthDate": "1990-11-21"
}
```

7.4. Complete Verification

Method: **POST**

Endpoint: `{{baseURL}}/verification/complete`

Body:

```
{
  "verificationId": "{{VERIFICATION_ID}}"
}
```

After verification for specific `{{VERIFICATION_ID}}` will be closed as **POSITIVE**, an OFFBOARDING verification with `{{OFFBOARDING_ID}}` will be created. A corresponding notification will be sent to marketplace.

```
{
  "verificationType": "ID_REPLACEMENT",
  "verificationId": "{{OFFBOARDING_ID}}",
  "updateDate": "2025-06-10T12:03:12.000Z",
}
```

```

"status": "NEGATIVE",
"sellerId": "{{SELLER_ID}}",
"processType": "REGULAR",
"offboarding": {
  "reason": "Id replacement ",
  "payoutCompleted": false,
  "offboardingStatus": "IN_PROGRESS",
  "contractTerminationDocumentUrl": "{{FILE_DOWNLOAD_URL}}",
  "contractTerminationDate": "2025-02-07"
},
"note": "Test in Progress | Awaiting for complete",
"errors": [
  {
    "content": {
      "itemType": "ASSOCIATE_DOCUMENT",
      "itemProperties": {
        "documentType": "ID_CARD",
        "associateSurname": "Kowalski",
        "associateName": "015"
      }
    },
    "code": "015"
  }
],
"createDate": "2025-06-10T12:02:40.000Z"
}

```

7.5. Retrieve Verification Status

Method: **POST**

Endpoint: `{{baseUrl}}/verification?id={{VERIFICATION_ID}}`

Body:

```

{
  "verificationType": "FULL",
  "verificationId": "{{VERIFICATION_ID}}",
  "updateDate": "2025-06-10T12:03:12.000Z",
  "status": "POSITIVE",
  "sellerId": "{{SELLER_ID}}",
  "processType": "REGULAR",
  "note": "Test in Progress | Offboarding notification with verificationId:
  {{OFFBOARDING_ID}} has been sent successfully | Awaiting for complete",
  "createDate": "2025-06-10T12:02:40.000Z"
}

```

Meaning behind "note" parameter values:

- Test in Progress | Offboarding notification with verificationId: `{{OFFBOARDING_ID}}` has been sent successfully | Awaiting for complete – means that everything is proceeding correctly and you have to COMPLETE the verification.
- When the parameter returns the Test in Progress and you will start new verification process you will get a HTTP 409 error:


```
{
  "message": "Verification cannot be created. Offboarding in progress.",
  "code": "409",
}
```

7.6. Complete Offboarding

Method: **POST**

Endpoint: `{{baseUrl}}/verification/complete`

Body:

```
{
  "verificationId": "{{OFFBOARDING_ID}}"
}
```

After this step Offboarding Case will be closed as **NEGATIVE**, which will complete the testing process:

```
{
  "verificationType": "ID_REPLACEMENT",
  "verificationId": "{{OFFBOARDING_ID}}",
  "updateDate": "2025-06-10T12:03:12.000Z",
  "status": "POSITIVE",
  "sellerId": "{{SELLER_ID}}",
  "processType": "REGULAR",
  "offboarding": {
    "reason": "Id replacement ",
    "payoutCompleted": false,
    "offboardingStatus": "NEGATIVE ",
    "contractTerminationWithdrawalDocumentUrl": "{{FILE_DOWNLOAD_URL}}",
    "contractTerminationDate": "2025-02-07"
  },
  "note": "Test Success",
  "createDate": "2025-06-10T12:02:40.000Z"
}
```

8. Offboarding Positive – ID Replacement

You can also test the offboarding process triggered by ID replacement (when documents have not been delivered within the required time limit). This allows you to verify whether the marketplace can receive a notification about the initiated offboarding process for a given merchant.

In API Test mode, you can send `sellerData` and associates. However, unlike in reverification, no specific `errorCodes` are expected—by default, the response will return error code **015**.

As a result:

- Initialized verification will be closed as **POSITIVE**
- ID Replacement will be created and closed as **NEGATIVE**
- Offboarding will be created and notification will be sent to marketplace.
- Offboarding will be closed as **POSITIVE**

8.1. Verification Initialization

Method: **POST**

Endpoint: `{{baseUrl}}/verification`

Body:

```
{
  "sellerId": "{{SELLER_ID}}"
  "type": "FULL"
}
```

8.2. Sending Seller Data

Next, you need to send the seller's data with `registryNumber` parameter set to **OFFBOARDING_ID_REPLACEMENT_POSITIVE**:

Method: **POST**

Endpoint: `{{baseUrl}}/dataloading/seller`

Body:

```
{
  "verificationId": "{{VERIFICATION_ID}}",
  "sellerId": "{{SELLER_ID}}",
  "companyName": "Seller Company Name",
  "taxId": "sellerTestTaxId",
  "legalForm": "SOLE_TRADER",
  "registryNumber": "OFFBOARDING_ID_REPLACEMENT_POSITIVE",
  "address": {
    "street": "ul. Grunwaldzka 186",
    "zipcode": "60-166",
    "city": "Poznań",
    "country": "PL"
  },
  "email": "test@payu.com",
  "phone": "+48123456789",
}
```

```
"dateOfBirth": "1990-12-20"
}
```

8.3. Sending Associate Data

Endpoint: `{{baseURL}}/dataloading/associates`

Body:

```
{
  "verificationId": "{{VERIFICATION_ID}}",
  "associateId": "TestRepresentative2",
  "associateType": "REPRESENTATIVE",
  "associateName": "Janek",
  "associateSurname": "Kowalski",
  "associateCitizenship": "PL",
  "associateIdentityNumber": "34234324324",
  "associateBirthDate": "1990-11-21"
}
```

8.4. Complete Verification

Method: **POST**

Endpoint: `{{baseURL}}/verification/complete`

Body:

```
{
  "verificationId": "{{VERIFICATION_ID}}"
}
```

After verification for specific `{{VERIFICATION_ID}}` will be closed as POSITIVE and OFFBOARDING verification with `{{OFFBOARDING_ID}}` will be created. Corresponding notification will be sent to marketplace.

8.5. Retrieve Verification Status

Method: **POST**

Endpoint: `{{baseURL}}/verification?id={{VERIFICATION_ID}}`

Body:

```
{
  "verificationType": "FULL",
  "verificationId": "{{VERIFICATION_ID}}",
  "updateDate": "2025-06-10T12:03:12.000Z",
}
```

```

    "status": "POSITIVE",
    "sellerId": "{{SELLER_ID}}",
    "processType": "REGULAR",
    "note": "Test in Progress | Offboarding notification with verificationId:
    {{OFFBOARDING_ID}} has been sent successfully | Awaiting for complete",
    "createDate": "2025-06-10T12:02:40.000Z"
  }
}

```

8.6. Confirming Contract Termination Delivery

Method: **POST**

Endpoint: `{{baseUrl}}/contract-termination-delivery-confirmation`

Body:

```

{
  "verificationId": "{{OFFBOARDING_ID}}"
}

```

After this step Offboarding Case will be closed as **POSITIVE**, which will complete the testing process:

```

{
  "verificationType": "ID_REPLACEMENT",
  "verificationId": "{{OFFBOARDING_ID}}",
  "updateDate": "2025-06-10T12:03:12.000Z",
  "status": "NEGATIVE",
  "sellerId": "{{SELLER_ID}}",
  "processType": "REGULAR",
  "offboarding": {
    "reason": "ID replacement ",
    "payoutCompleted": true,
    "offboardingStatus": "POSITIVE ",
    "contractTerminationDocumentUrl": "{{FILE_DOWNLOAD_URL}}",
    "contractTerminationDate": "2025-02-07"
  },
  "note": "Test Success",
  "errors": [],
  "createDate": "2025-06-10T12:02:40.000Z"
}

```

9. Offboarding – Reverification

You can also test the offboarding process triggered by Reverification (when documents have not been delivered within the required time limit). This allows you to verify whether the marketplace can receive a notification about the initiated offboarding process for a given merchant.

In API Test mode, you can send `sellerData` and associates.

As a result:

- Initialized verification will be closed as **POSITIVE**
- Reverification will be created and closed as **NEGATIVE**
- Offboarding will be created and notification will be sent to marketplace.
- Offboarding will be closed as **NEGATIVE**

9.1. Verification Initialization

Method: **POST**

Endpoint: `{{baseUrl}}/verification`

Body:

```
{
  "sellerId": "{{SELLER_ID}}"
  "type": "FULL"
}
```

9.2. Sending Seller Data

Next, you need to send the seller's data with `registryNumber` parameter set to **OFFBOARDING_REVERIFICATION**:

Method: **POST**

Endpoint: `{{baseUrl}}/dataloading/seller`

Body:

```
{
  "verificationId": "{{VERIFICATION_ID}}",
  "sellerId": "{{SELLER_ID}}",
  "companyName": "Seller Company Name",
  "taxId": "sellerTestTaxId",
  "legalForm": "SOLE_TRADER",
  "registryNumber": "OFFBOARDING_REVERIFICATION",
  "gusCode": "017",
  "address": {
    "street": "ul. Grunwaldzka 186",
    "zipCode": "60-166",
    "city": "Poznań",
    "country": "PL"
  },
  "email": "test@payu.com",
  "phone": "+48123456789",
  "dateOfBirth": "1990-12-20"
}
```

9.3. Sending Associate Data

Endpoint: `{{baseURL}}/dataloading/associates`

Body:

```
{
  "verificationId": "{{VERIFICATION_ID}}",
  "associateId": "TestRepresentative2",
  "associateType": "REPRESENTATIVE",
  "associateName": "Janek",
  "associateSurname": "Kowalski",
  "associateCitizenship": "PL",
  "associateIdentityNumber": "34234324324",
  "associateBirthDate": "1990-11-21"
}
```

9.4. Complete Verification

Method: **POST**

Endpoint: `{{baseURL}}/verification/complete`

Body:

```
{
  "verificationId": "{{VERIFICATION_ID}}"
}
```

After verification for specific `{{VERIFICATION_ID}}` will be closed as POSITIVE and OFFBOARDING verification with `{{OFFBOARDING_ID}}` will be created. Corresponding notification will be sent to marketplace.

```
{
  "verificationType": "REVERIFICATION",
  "verificationId": "{{OFFBOARDING_ID}}",
  "updateDate": "2025-06-10T12:03:12.000Z",
  "status": "NEGATIVE",
  "sellerId": "{{SELLER_ID}}",
  "processType": "REGULAR",
  "offboarding": {
    "reason": "Reverification",
    "payoutCompleted": false,
    "offboardingStatus": "IN_PROGRESS",
    "contractTerminationDocumentUrl": "{{FILE_DOWNLOAD_URL}}",
    "contractTerminationDate": "2025-02-07"
  },
  "note": "Test in Progress",
  "errors": [
```

```

{
  "content": {
    "itemType": "SELLER",
    "itemProperties": {}
  },
  "code": "017"
}
],
"createDate": "2025-06-10T12:02:40.000Z"
}

```

9.5. Retrieve Verification Status

Method: **POST**

Endpoint: `{{baseUrl}}/verification?id={{VERIFICATION_ID}}`

Body:

```

{
  "verificationType": "FULL",
  "verificationId": "{{VERIFICATION_ID}}",
  "updateDate": "2025-06-10T12:03:12.000Z",
  "status": "POSITIVE",
  "sellerId": "{{SELLER_ID}}",
  "processType": "REGULAR",
  "note": "Test in Progress | Offboarding notification with verificationId:
{{OFFBOARDING_ID}} has been sent successfully | Awaiting for complete",
  "createDate": "2025-06-10T12:02:40.000Z"
}

```

Meaning behind "note" parameter values:

- Test in Progress | Offboarding notification with verificationId: `{{OFFBOARDING_ID}}` has been sent successfully | Awaiting for complete – means that everything is proceeding correctly and you have to COMPLETE the verification.

9.6. Confirming Contract Termination Delivery

Method: **POST**

Endpoint: `{{baseUrl}}/contract-termination-delivery-confirmation`

Body:

```

{
  "verificationId": "{{OFFBOARDING_ID}}"
}

```

Additionally during tests you can send some optional data:

- seller
- seller/documents
- associates data,
- associates documents.

9.7. Complete Offboarding

Method: **POST**

Endpoint: `{{baseUrl}}/verification/complete`

Body:

```
{
  "verificationId": "{{OFFBOARDING_ID}}"
}
```

After this step Offboarding Case will be closed as **NEGATIVE**, which will complete the testing process:

```
{
  "verificationType": "REVERIFICATION ",
  "verificationId": "{{OFFBOARDING_ID}}",
  "updateDate": "2025-06-10T12:03:12.000Z",
  "status": "POSITIVE",
  "sellerId": "{{SELLER_ID}}",
  "processType": "REGULAR",
  "offboarding": {
    "reason": "Reverification ",
    "payoutCompleted": false,
    "offboardingStatus": "NEGATIVE ",
    "contractTerminationWithdrawalDocumentUrl": "{{FILE_DOWNLOAD_URL}}",
    "contractTerminationDate": "2025-02-07"
  },
  "note": "Test Success",
  "createDate": "2025-06-10T12:02:40.000Z"
}
```

10. Offboarding Positive – Reverification

You can also test the offboarding process triggered by ID replacement (when documents have not been delivered within the required time limit). This allows you to verify whether the marketplace can receive a notification about the initiated offboarding process for a given merchant.

In API Test mode, you can send `sellerData` and associates.

As a result:

- Initialized verification will be closed as **POSITIVE**

- Reverification will be created and closed as **NEGATIVE**
- Offboarding will be created and notification will be sent to marketplace.
- Offboarding will be closed as **POSITIVE**

10.1. Verification Initialization

Method: **POST**

Endpoint: `{{baseUrl}}/verification`

Body:

```
{
  "sellerId": "{{SELLER_ID}}"
  "type": "FULL"
}
```

10.2. Sending Seller Data

Next, you need to send the seller's data with `registryNumber` parameter set to **OFFBOARDING_REVERIFICATION_POSITIVE**:

Method: **POST**

Endpoint: `{{baseUrl}}/dataloading/seller`

Body:

```
{
  "verificationId": "{{VERIFICATION_ID}}",
  "sellerId": "{{SELLER_ID}}",
  "companyName": "Seller Company Name",
  "taxId": "sellerTestTaxId",
  "legalForm": "SOLE_TRADER",
  "registryNumber": "OFFBOARDING_REVERIFICATION_POSITIVE",
  "gusCode": "017",
  "address": {
    "street": "ul. Grunwaldzka 186",
    "zipcode": "60-166",
    "city": "Poznań",
    "country": "PL"
  },
  "email": "test@payu.com",
  "phone": "+48123456789",
  "dateOfBirth": "1990-12-20"
}
```

10.3. Sending Associate Data

Endpoint: `{{baseUrl}}/dataloading/associates`

Body:

```
{
  "verificationId": "{{VERIFICATION_ID}}",
  "associateId": "TestRepresentative2",
  "associateType": "REPRESENTATIVE",
  "associateName": "Janek",
  "associateSurname": "Kowalski",
  "associateCitizenship": "PL",
  "associateIdentityNumber": "34234324324",
  "associateBirthDate": "1990-11-21"
}
```

10.4. Complete Verification

Method: **POST**

Endpoint: `{{baseUrl}}/verification/complete`

Body:

```
{
  "verificationId": "{{VERIFICATION_ID}}"
}
```

After verification for specific `{{VERIFICATION_ID}}` will be closed as POSITIVE and OFFBOARDING verification with `{{OFFBOARDING_ID}}` will be created. Corresponding notification will be sent to marketplace.

```
{
  "verificationType": "REVERIFICATION",
  "verificationId": "{{OFFBOARDING_ID}}",
  "updateDate": "2025-06-10T12:03:12.000Z",
  "status": "NEGATIVE",
  "sellerId": "{{SELLER_ID}}",
  "processType": "REGULAR",
  "offboarding": {
    "reason": "Reverification",
    "payoutCompleted": false,
    "offboardingStatus": "IN_PROGRESS",
    "contractTerminationDocumentUrl": "{{FILE_DOWNLOAD_URL}}",
    "contractTerminationDate": "2025-02-07"
  },
  "note": "Test in Progress",
  "errors": [
    {
      "content": {
```

```
        "itemType": "SELLER",
        "itemProperties": {}
    },
    "code": "017"
}
],
"createDate": "2025-06-10T12:02:40.000Z"
}
```

10.5. Retrieve Verification Status

Method: **POST**

Endpoint: `{{baseUrl}}/verification?id={{VERIFICATION_ID}}`

Body:

```
{
  "verificationType": "FULL",
  "verificationId": "{{VERIFICATION_ID}}",
  "updateDate": "2025-06-10T12:03:12.000Z",
  "status": "POSITIVE",
  "sellerId": "{{SELLER_ID}}",
  "processType": "REGULAR",
  "note": "Test in Progress | Offboarding notification with verificationId:
  {{OFFBOARDING_ID}} has been sent successfully | Awaiting for complete",
  "createDate": "2025-06-10T12:02:40.000Z"
}
```

10.6. Confirming Contract Termination Delivery

Method: **POST**

Endpoint: `{{baseUrl}}/contract-termination-delivery-confirmation`

Body:

```
{
  "verificationId": "{{OFFBOARDING_ID}}"
}
```

After this step Offboarding Case will be closed as **POSITIVE**, which will complete the testing process:

```
{
  "verificationType": "REVERIFICATION",
  "verificationId": "{{OFFBOARDING_ID}}",
  "updateDate": "2025-06-10T12:03:12.000Z",
  "status": "NEGATIVE",
  "sellerId": "{{SELLER_ID}}",
  "processType": "REGULAR",
}
```

```
"offboarding": {
  "reason": "Reverification",
  "payoutCompleted": true,
  "offboardingStatus": "POSITIVE ",
  "contractTerminationDocumentUrl": "{{FILE_DOWNLOAD_URL}}",
  "contractTerminationDate": "2025-02-07"
},
"note": "Test Success",
"errors": [],
"createDate": "2025-06-10T12:02:40.000Z"
}
```

11. Offboarding Positive – Fraud

You can also test the offboarding process triggered when a fraud is detected. This allows you to verify whether the marketplace can receive a notification about the initiated offboarding process for a given merchant.

As a result:

- Initialized verification will be closed as **POSITIVE**
- Offboarding will be created and notification will be sent to marketplace.
- Offboarding will be closed as **POSITIVE**

11.1. Verification Initialization

Method: **POST**

Endpoint: `{{baseURL}}/verification`

Body:

```
{
  "sellerId": "{{SELLER_ID}}"
  "type": "FULL"
}
```

11.2. Sending Seller Data

Next, you need to send the seller's data with `registryNumber` parameter set to **OFFBOARDING_FRAUD**:

Method: **POST**

Endpoint: `{{baseURL}}/dataloading/seller`

Body:

```
{
  "verificationId": "{{VERIFICATION_ID}}",
```

```
"sellerId": "{{SELLER_ID}}",
"companyName": "Seller Company Name",
"taxId": "sellerTestTaxId",
"legalForm": "SOLE_TRADER",
"registryNumber": "OFFBOARDING_FRAUD",
"address": {
  "street": "ul. Grunwaldzka 186",
  "zipcode": "60-166",
  "city": "Poznań",
  "country": "PL"
},
"email": "test@payu.com",
"phone": "+48123456789",
"dateOfBirth": "1990-12-20"
}
```

11.3. Complete Verification

Method: **POST**

Endpoint: `{{baseUrl}}/verification/complete`

Body:

```
{
  "verificationId": "{{VERIFICATION_ID}}"
}
```

After verification for specific `{{VERIFICATION_ID}}` will be closed as POSITIVE and OFFBOARDING verification with `{{OFFBOARDING_ID}}` will be created. Corresponding notification will be sent to marketplace.

```
{
  "verificationType": "OFFBOARDING",
  "verificationId": "{{OFFBOARDING_ID}}",
  "updateDate": "2025-06-10T12:03:12.000Z",
  "status": "IN_PROGRESS",
  "sellerId": "{{SELLER_ID}}",
  "processType": "REGULAR",
  "offboarding": {
    "reason": "Fraud",
    "payoutCompleted": false,
    "offboardingStatus": "IN_PROGRESS",
    "contractTerminationDocumentUrl": "{{FILE_DOWNLOAD_URL}}",
    "contractTerminationDate": "2025-02-07"
  },
  "note": "Test in Progress | Awaiting for contract termination delivery confirmation",
  "createDate": "2025-06-10T12:02:40.000Z"
}
```

11.4. Retrieve Verification Status

Method: **POST**

Endpoint: `{{baseUrl}}/verification?id={{VERIFICATION_ID}}`

Body:

```
{
  "verificationType": "FULL",
  "verificationId": "{{VERIFICATION_ID}}",
  "updateDate": "2025-06-10T12:03:12.000Z",
  "status": "POSITIVE",
  "sellerId": "{{SELLER_ID}}",
  "processType": "REGULAR",
  "note": "Test in Progress | Offboarding notification with verificationId:
  {{OFFBOARDING_ID}} has been sent successfully | Awaiting for complete",
  "createDate": "2025-06-10T12:02:40.000Z"
}
```

11.5. Confirming Contract Termination Delivery

Method: **POST**

Endpoint: `{{baseUrl}}/contract-termination-delivery-confirmation`

Body:

```
{
  "verificationId": "{{OFFBOARDING_ID}}"
}
```

After this step Offboarding Case will be closed as **POSITIVE**, which will complete the testing process:

```
{
  "verificationType": "OFFBOARDING",
  "verificationId": "{{OFFBOARDING_ID}}",
  "updateDate": "2025-06-10T12:03:12.000Z",
  "status": "POSITIVE",
  "sellerId": "{{SELLER_ID}}",
  "processType": "REGULAR",
  "offboarding": {
    "reason": "Fraud",
    "payoutCompleted": true,
    "offboardingStatus": "POSITIVE ",
    "contractTerminationDocumentUrl": "{{FILE_DOWNLOAD_URL}}",
    "contractTerminationDate": "2025-02-07"
  },
  "note": "Test Success",
  "errors": [],
  "createDate": "2025-06-10T12:02:40.000Z"
}
```

```
}
```

12. Offboarding (Positive) – Inactive seller

This scenario simulates an offboarding process triggered when a seller has been inactive (no transactions) for 18 months. It allows verification that the marketplace correctly receives notifications about onboarding initiated for such merchants.

Expected outcomes:

- The initial verification is completed with a **POSITIVE** status.
- An **offboarding process** is created, and a notification is sent to the marketplace.
- The offboarding process is completed with a **POSITIVE** status.

12.1. Verification Initialization

Method: **POST**

Endpoint: `{{baseUrl}}/verification`

Request Body:

```
{
  "sellerId": "{{SELLER_ID}}",
  "type": "FULL"
}
```

12.2. Sending Seller Data

Submit seller data with the registryNumber set to OFFBOARDING_INACTIVE to trigger the offboarding scenario.

Method: **POST**

Endpoint: `{{baseUrl}}/dataloading/seller`

Request Body:

```
{
  "verificationId": "{{VERIFICATION_ID}}",
  "sellerId": "{{SELLER_ID}}",
  "companyName": "Seller Company Name",
  "taxId": "sellerTestTaxId",
  "legalForm": "SOLE_TRADER",
  "registryNumber": "OFFBOARDING_INACTIVE",
  "address": {
    "street": "ul. Grunwaldzka 186",
    "zipcode": "60-166",
    "city": "Poznań",
    "country": "PL"
  },
  "email": "test@payu.com",
  "phone": "+48123456789",
}
```

```
    "dateOfBirth": "1990-12-20"
  }
```

12.3. Complete Verification

Method: **POST**

Endpoint: `{{baseUrl}}/verification/complete`

Request Body:

```
{
  "verificationId": "{{VERIFICATION_ID}}"
}
```

Result:

- The verification (`{{VERIFICATION_ID}}`) is completed with status **POSITIVE**
- A new **OFFBOARDING** verification (`{{OFFBOARDING_ID}}`) is created
- A notification is sent to the marketplace

Example Response:

```
{
  "verificationType": "OFFBOARDING",
  "verificationId": "{{OFFBOARDING_ID}}",
  "updateDate": "2025-06-10T12:03:12.000Z",
  "status": "IN_PROGRESS",
  "sellerId": "{{SELLER_ID}}",
  "processType": "REGULAR",
  "offboarding": {
    "reason": "Seller inactive",
    "payoutCompleted": false,
    "offboardingStatus": "IN_PROGRESS",
    "contractTerminationDocumentUrl": "{{FILE_DOWNLOAD_URL}}",
    "contractTerminationDate": "2025-02-07"
  },
  "note": "Test in Progress | Awaiting for contract termination delivery confirmation",
  "createDate": "2025-06-10T12:02:40.000Z"
}
```

12.4 Retrieve Verification Status

Method: **POST**

Endpoint: `{{baseUrl}}/verification?id={{VERIFICATION_ID}}`

Example Response:

```
{
  "verificationType": "FULL",
  "verificationId": "{{VERIFICATION_ID}}",
  "updateDate": "2025-06-10T12:03:12.000Z",
  "status": "POSITIVE",
  "sellerId": "{{SELLER_ID}}",
}
```

```
    "processType": "REGULAR",
    "note": "Test in Progress | Offboarding notification with verificationId:
    {{OFFBOARDING_ID}} has been sent successfully | Awaiting for complete",
    "createDate": "2025-06-10T12:02:40.000Z"
}
```

12.5 Confirm Contract Termination Delivery

Method: **POST**

Endpoint: `{{baseUrl}}/contract-termination-delivery-confirmation`

Request Body:

```
{
  "verificationId": "{{OFFBOARDING_ID}}"
}
```

Result:

- The **OFFBOARDING** process is completed with status **POSITIVE**
- The testing scenario is fully completed

Example Response:

```
{
  "verificationType": "OFFBOARDING",
  "verificationId": "{{OFFBOARDING_ID}}",
  "updateDate": "2025-06-10T12:03:12.000Z",
  "status": "POSITIVE",
  "sellerId": "{{SELLER_ID}}",
  "processType": "REGULAR",
  "offboarding": {
    "reason": "Seller inactive",
    "payoutCompleted": true,
    "offboardingStatus": "POSITIVE",
    "contractTerminationDocumentUrl": "{{FILE_DOWNLOAD_URL}}",
    "contractTerminationDate": "2025-02-07"
  },
  "note": "Test Success",
  "errors": [],
  "createDate": "2025-06-10T12:02:40.000Z"
}
```